

Calibrated age, Wiggle Match (AD)					
Lab ID	Name	¹⁴ C Age ¹⁴ C years BP	68.2% conf. interval(s)	95.4% conf. in- terval(s)	A
A901			923 – 957 [65.9%] 972 – 974 [2.3%]	920 – 979 [92.1%] 985 – 991 [3.3%]	92.8%
AAR-29862	P154-1	1111 ± 27	892 – 926 [65.9%] 941 – 943 [2.3%]	889 – 948 [92.1%] 954 – 960 [3.3%]	102.6%
AAR-29863	P154-3	1119 ± 26	894 – 928 [65.9%] 943 – 945 [2.3%]	891 – 950 [92.1%] 956 – 962 [3.3%]	107.9%
AAR-29864	P154-5	1120 ± 30	896 – 930 [65.9%] 945 – 947 [2.3%]	893 – 952 [92.1%] 958 – 964 [3.3%]	112.0%
AAR-29872	P154-28	1083 ± 31	919 – 953 [65.9%] 968 – 970 [2.3%]	916 – 975 [92.1%] 981 – 987 [3.3%]	72.6%
AAR-29873	P154-30	1165 ± 30	921 – 955 [65.9%] 970 – 972 [2.3%]	918 – 977 [92.1%] 983 – 989 [3.3%]	77.9%
AAR-29874	P154-32	1128 ± 32	923 – 957 [65.9%] 972 – 974 [2.3%]	920 – 979 [92.1%] 985 – 991 [3.3%]	118.8%
A905			924 – 933 [19.4%] 949 – 966 [33.1%] 967 – 977 [15.7%]	920 – 983 [95.4%]	98.6%
AAR-29861	P144-35	1139 ± 27	890 – 899 [19.4%] 915 – 932 [33.1%] 933 – 943 [15.7%]	886 – 949 [95.4%]	119.6%
AAR-29860	P144-33	1120 ± 21	892 – 901 [19.4%] 917 – 934 [33.1%] 935 – 945 [15.7%]	888 – 951 [95.4%]	101.9%
AAR-29859*	P144-31	1186 ± 31	775 – 791 [12.6%]* 807 – 810 [1.7%]* 822 – 889 [53.9%]*	709 – 722 [1.5%]* 774 – 899 [85.0%]* 920 – 957 [8.6%]* 969 – 973 [0.3%]*	
AAR-29846	P144-5	1157 ± 28	920 – 929 [19.4%] 945 – 962 [33.1%] 963 – 973 [15.7%]	916 – 979 [95.4%]	90.1%
AAR-29845	P144-3	1084 ± 29	922 – 931 [19.4%] 947 – 964 [33.1%] 965 – 975 [15.7%]	918 – 981 [95.4%]	76.7%
AAR-29844	P144-1	1137 ± 28	924 – 933 [19.4%] 949 – 966 [33.1%] 967 – 977 [15.7%]	920 – 983 [95.4%]	115.0%

Table 1. Radiocarbon wiggle match of the A901 and A905 charred wood pieces. ¹⁴C age are calibrated to calendar ages using IntCal20 (Reimer et al 2020) and OxCal 4.1 (Bronk Ramsey et al. 2001). The wiggle match is performed using the D_Sequence command in OxCal and A denotes the agreement index (see Bronk Ramsey et al. 2001). The sample AAR-29859, P144-31 (marked with *) is not included in the wiggle match.