

List of Tables

Table 4.1.	Graser's measurements for the structures found in the southwest part of Mounichia Harbour (M-G6).	50
Table 5.1.	Ramp of Slipway 2, dimensions of rock-cut slots for transverse timber sleepers.	57
Table 5.2.	Ramp of Slipway 3, dimensions of rock-cut slots for transverse timber sleepers.	58
Table 5.3.	Ramp of Slipway 5, dimensions of rock-cut slots for transverse timber sleepers.	60
Table 5.4.	Phase 1 Slipways 1–3, 5–6, averages and range of dimensions of rock-cut slots for transverse timber sleepers.	61
Table 5.5.	Kos City: dimensions of slots for transverse timber sleepers.	62
Table 5.6.	Mandraki, Rhodes City: dimensions of slots for transverse timber sleepers.	63
Table 5.7.	Thasos City: possible ramp block.	66
Table 5.8.	Ramp comparanda: Zea and other sites.	68
Table 5.9.	Zea, Group 1, Slipways 2, 3 and 5: average height difference between one ramp feature relative to the previous ramp feature.	71
Table 5.10.	Zea, Group 1, Slipways 2, 3 and 5: inclinations of ramps and open-passages.	72
Table 6.1.	Margin of precision on Dörpfeld's 1885 sections of colonnades C20(π)/21(Δ) and C17(η)/18(χ).	77
Table 6.2.	Margins of precision on Dörpfeld's 1885 plan.	78
Table 6.3.	Back-wall measurements on Dörpfeld's 1885 plan.	80
Table 6.4.	Phase 3, back-wall, section 2a (BW:1–24), block dimensions.	83
Table 6.5.	Spur-wall C17/18(γ), block dimensions.	85
Table 6.6.	Dimensions of blocks in W16/26(λ).	87
Table 6.7.	Evidence of column drum dimensions on Dörpfeld's plan and section of C20(π)/21(Δ).	89
Table 6.8.	Dimensions of possible re-used column drums in the ramp of Shipshed 21(Δ) from Dörpfeld 1885: pl. 2.	90
Table 6.9.	Critical dimensions of the lowest column drums (from Area 6 at Zea Harbour).	92
Table 6.10.	Critical dimensions of the second column drums (from Area 6 at Zea Harbour).	93
Table 6.11.	Critical dimensions of the third column drums (from Area 6 at Zea Harbour).	94
Table 6.12.	Heights of the first three column drums (from Area 6 at Zea Harbour).	94
Table 6.13.	Plan measurements of <i>empolion</i> cuttings (from Area 6 at Zea Harbour).	95
Table 6.14.	Depth of <i>empolion</i> cuttings (from Area 6 at Zea Harbour).	96
Table 6.15.	Average Phase 3 column base dimensions.	97
Table 6.16.	Average Phase 3 column base dimensions as scaled from Dörpfeld's 1885 sections.	97
Table 6.17.	Spot-height comparison for Phase 3 column bases.	98
Table 6.18.	Dörpfeld's 1885 correspondending heights of the three upper-most column bases.	99
Table 6.19.	Interaxial spacing between adjacent colonnades of the Phase 3 shipsheds.	102
Table 6.20.	Inclination of Phase 3 column bases and colonnade foundation blocks.	105

Table 6.21.	Inclination of rock-cut foundations in C16/17(η) and C17(η)/18(χ) based on the interaxial spacing.	107
Table 6.22.	Phase 2 colonnade block dimensions.	113
Table 6.23.	Interaxial spacing of the Phase 2 colonnades.	115
Table 6.24.	Distance between measured centres of Phase 2 colonnade features in C11/12.	115
Table 6.25.	Interaxial spacing of the intact Phase 2 colonnade foundations and <i>in-situ</i> blocks.	115
Table 6.26.	Phase 2: Interaxial spacing between foundation features in adjacent colonnades.	116
Table 6.27.	Top surface elevation of Phase 2 blocks, including change in elevation and the inclination of one column position relative to the next.	117
Table 6.28.	Average bottom elevation of rock-cut foundation trenches in the individual column position foundation, including change in elevation and the inclination of one column position relative to the next.	118
Table 6.29.	Elevation of rock-cut foundations in C14/15.	118
Table 6.30.	Mandraki (Rhodes), dimensions of colonnade foundations.	122
Table 6.31.	Mandraki (Rhodes), interaxial widths and intercolumniation of the narrow and wide shipsheds.	122
Table 6.32.	Shipshed and possible shipshed superstructures from other sites in the Mediterranean and those in Zea Harbour.	125
Table 6.33.	Comparison of block dimensions in the second courses of Wall 16/26(λ), Spur-wall C17/18(γ) and the back-wall.	126
Table 7.1.	Dörpfeld's spot-heights on the ramps of Shipsheds 12, 17(η), 21(Δ), 22(N) and 23(II).	131
Table 7.2.	Average ramp widths in Phase 3.	132
Table 7.3.	Phase 3 ramp block dimensions.	133
Table 7.4.	Oiniadai, inclination of ramp on Powell's section.	135
Table 7.5.	Inclination between Dörpfeld's 1885 spot-heights on the ramps of Shipsheds 21(Δ) and 23(II) in Group 1 at Zea.	136
Table 7.6.	Shipshed 9: ramp block dimensions.	138
Table 7.7.	Phase 3 side-passages.	141
Table 7.8.	Reconstructed open widths of the Phase 3 side-passages in Group 1 shipsheds of Zea in Dörpfeld's 1885 plan.	141
Table 7.9.	Oiniadai, width of side-passages.	142
Table 7.10.	Kition, ramp width of phases 1–3.	144
Table 7.11.	Open widths of comparative side-passages.	145
Table 8.1.	Zea, estimated widths of Groups 1–5 including the extrapolated shoreline between Groups 4–5, and between the southwestern fortified mole and Group 3.	150
Table 8.2.	Zea Harbour, single- and double-unit capacity in Groups 1–5.	154
Table 8.3.	Mounichia Harbour, single- and double-unit capacity in Groups 1–7.	154
Table 8.4.	Alignment points I–IV of the widely-spaced and narrowly-spaced colonnades in Group 1 at Zea.	160
Table 8.5.	Reconstructed length of the Phase 3 shipsheds in Group 1 at Zea.	161
Table 8.6.	Column height ranges based on the <i>bootstrap-t</i> method.	164

Table 9.1.	Dimensions of the Phase 1 slipways in Group 1 at Zea Harbour.	168
Table 9.2.	Dimensions of the Phase 2 shipsheds in Group 1 at Zea Harbour.	170
Table 9.3a-b.	Dimensions of the Phase 3 shipsheds in Group 1 at Zea Harbour.	171–172
Table 9.4.	Dimensions of the possible Phase 4 shipsheds in Group 1 at Zea Harbour.	173