

Problems with Strontium Isotopic Proveniencing in Denmark?

T. Douglas Price¹

¹ Laboratory for Archaeological Chemistry, University of Wisconsin-Madison, USA (tdprice@wisc.edu)
ORCID: 0000-0001-5951-5621

ABSTRACT

A recent study by Thomsen and Andreasen (2019) has induced a negative reaction to the utility of strontium isotope proveniencing in Denmark. Although there are higher strontium isotope values in the landscape, Thomsen and Andreasen are not correct about the impact of their finding on studies of prehistoric mobility. Several case studies identify such “hotspots” in the landscape and help evaluate their consequences for identifying non-local individuals. In sum, (1) there are small areas of higher strontium isotope values in Denmark, (2) surface water is not a reliable proxy for baseline information on local strontium isotope sources, and (3) strontium isotope proveniencing remains a very useful method for identifying non-local individuals.

Corrigendum! This article has been republished on 25 February 2022. In the new version, Fig. 3 was changed to remove unpublished samples. The editors.

ARTICLE HISTORY

Received
18 August 2020;
Accepted
20 October 2021

KEYWORDS

Isotopic proveniencing;
Denmark; Bio-
archaeology; Stron-
tium; Bioavailable

Introduction

There seems to be some confusion and consternation at the present time with regard to the utility of strontium isotopic proveniencing in the archaeology of southern Scandinavia. Strontium isotopic proveniencing is a method for determining if an individual was local or non-local to the place of burial. The principles of the method are straightforward and based upon the premise that ratios of strontium isotopes ($^{87}\text{Sr}/^{86}\text{Sr}$) vary geographically due to underlying differences in local geologies (Burton et al., 2003; Price et al., 1994, 2002, 2008, 2010). Strontium isotopes enter the human skeleton via the food chain, from rock to sediment, to soil nutrients, to plants, to animals such as humans. Because strontium has a heavy mass, there is no fractionation or change along this path. ^{86}Sr is stable and approximately 10 % in nature; ^{87}Sr is radiogenic, created by the decay of rubidium 87 with a half-life of almost 50 billion years; ^{87}Sr is variable and around 7 % in nature. Thus, older rocks and rocks with more rubidium have higher $^{87}\text{Sr}/^{86}\text{Sr}$ values and younger

rocks generally have lower values. This premise has been demonstrated through several decades of geological research.

These isotopes are deposited in the skeleton and teeth. Most tooth enamel forms in the period before birth until about six years of age. Tooth enamel is one of the most durable tissues in the skeleton, both before and after death and shows very little indication of diagenesis – post-mortem chemical change due to burial. $^{87}\text{Sr}/^{86}\text{Sr}$ values in human tooth enamel vary from approximately 0.705 to 0.735 and are measured on mass spectrometers accurate to the fourth or fifth decimal place. If the strontium isotope ratio of tooth enamel differs from that of the local region, the individual likely was not born locally.

In actual fact, levels of strontium isotopes may vary from local geology for several reasons (Maurer et al. 2012; Price et al. 2002), including differing surface deposits introduced by glacial, aeolian, or fluvial processes or in coastal areas, sea spray and rainfall may introduce a marine signal with a value ca. 0.7092. For these reasons it is necessary to measure *bioavailable* levels of $^{87}\text{Sr}/^{86}\text{Sr}$ to charac-

terize local strontium isotope ratios (Price et al. 2002; Sillen et al. 1998). Local strontium isotope baseline values can be determined by measuring archaeological fauna or even modern specimens of plants or animals in areas where preservation is poor. This information is compared to the isotope ratios in the tooth enamel or bone. If the ratios are different then in all probability the individual in question was not born locally. The specific place of origin can be difficult to determine since different places can have the same strontium isotope ratio, but it is sometimes possible to constrain a potential homeland using a combination of isotopic and archaeological evidence.

I have been working with strontium isotope proveniencing for almost 30 years. Our Laboratory for Archaeological Chemistry at the University of Wisconsin-Madison processed more than 10,000 samples from five continents in that time. I have published or co-authored a number of papers on isotopic proveniencing in Scandinavia over the last decade or so (Price and Gestsdóttir 2006; Sjögren and Price 2006, 2013; Sjögren et al. 2008, 2013, 2016, 2017; Price et al. 2007, 2008, 2010, 2015, 2012, 2013, 2016, 2017, 2018; Price 2008, 2013, 2011, 2018; Frei and Price 2012; Dobat et al. 2014; Frei et al. 2015, 2019; Arcini et al. 2015; Bäckström and Price 2016; Wilhelmson and Price 2017; Bergerbrant et al. 2017; Naumann et al. 2014; Naumann and Price 2020; Kjällqvist and Price 2019).

Perhaps I should also point out my preference for the term “provenience”, rather than “provenance”. To my mind, provenance has subjective connotations from art history that refer more to context and artist, while provenience is a more objective term from geology that refers to the study of sources and measurement of composition.

This essay is organized as follows to discuss specific aspects of isotopic proveniencing. I initially consider the study by Thomsen and Andreasen. I offer some examples that may explain why there are variations in the $^{87}\text{Sr}/^{86}\text{Sr}$ baseline in southern Scandinavia. I then turn to a broader discussion of the utility of isotopic proveniencing and why it is important to be cautious in its application. This essay is not intended as an overview of strontium isotope analysis or a critique of Frei’s study of the Egtved Girl.

Thomsen and Andreasen (2019)

Many of the concerns with this method in Denmark grew out of a paper by Thomsen and Andreasen (2019) that pointed to the modern practice of liming agricultural fields in Western Jutland and the effect on $^{87}\text{Sr}/^{86}\text{Sr}$ levels in surface water. This essay is intended to address those concerns and discuss some of the weaknesses and strengths of the method of strontium isotope analysis.

The study by Thomsen and Andreasen was inspired by doubts raised by an article by Frei et al. (2015) that argued on the basis of strontium isotopic proveniencing of her teeth, hair, nails, and bone and some information from an artifact that the Egtved Girl, an iconic burial from the Danish Bronze Age, was not originally from Denmark, but had traveled several times between her homeland in or near the Black Forest in Germany to her residence and place of burial in Denmark, a distance of more than 800 km. The local baseline level of $^{87}\text{Sr}/^{86}\text{Sr}$ for comparison was determined from measurements of surface water (Frei and Frei 2011). For an archaeologist’s perspective, see comments by Hvass (2019) who questions the feasibility of travel over such long distances and argues for investigation of the origin of the artifacts that were included with the burial.

The Thomsen and Andreasen study was an interesting and potentially damaging critique of the Frei et al. (2017a) article and of strontium isotopic mobility studies in general. In essence the authors argued that there were higher $^{87}\text{Sr}/^{86}\text{Sr}$ values in the landscape, especially in western Jutland, and that modern agricultural applications of lime in areas with non-calcareous soils reduced the strontium isotope ratio of surface water and thus made calculation of local bioavailable strontium from water unreliable. Specifically, the projections of Thomsen and Andreasen meant that the Egtved Girl could have been from Denmark all along. If these conditions applied, then basic reference data for strontium mobility studies would be unreliable.

Fortunately, there are some limitations with the Thomsen and Andreasen study that restrict its conclusions. Frei et al. (2019) argue that the introduction of lime onto fields affects only the upper 60 cm of soil and does not change strontium levels in water below that depth. There are

examples where surface water seems to provide a good indicator of baseline values (Maurer et al. 2012; Blank et al. 2018), but many studies (probably most) of bioavailable strontium do not focus on surface water with good reason. One simply does not know the sources of strontium in water. Although it is easy to collect, surface water is not necessarily representative of a particular location as water moves, often long distances, and may incorporate the strontium signal of the different places through which it passes. This caveat involves both depth and distance in water movement. Moreover, water because of its normally low concentration of strontium, does not contribute much to the human consumption of strontium (Bryant et al. 1958, Comar et al. 1957; Elias et al. 1957; Lewis et al. 2017) and plays a relatively minor role in body levels of $^{87}\text{Sr}/^{86}\text{Sr}$. Soil is also not a good proxy for bioavailable strontium as differential weathering of the various minerals in soil can produce very different $^{87}\text{Sr}/^{86}\text{Sr}$ values (e.g., Maurer et al. 2012; Frei et al. 2019).

There are several other kinds of material more appropriate for measuring strontium isotope baselines than surface water or soil (Bentley et al. 2004; Price et al. 2002; Sillen et al. 1998). These include modern fauna, modern vegetation, archaeological fauna, and/or archaeological human bone. Because there is no fractionation of strontium isotopes due to the heavy mass of the element, almost any organic material in the environment can be measured to obtain the local $^{87}\text{Sr}/^{86}\text{Sr}$ value. We have for some time (since 2002) advocated the use of archaeological fauna (especially small wild mammals) for the determination of strontium baselines. Grimstead et al. (2017) also have some suggestions for the standardization of strontium isotope baseline environmental data.

Unless the strontium from modern lime somehow contaminates archaeological fauna, this practice would seem to obviate the potential problems from lime application. Fertilizer does not appear to significantly alter strontium isotope ratios either, as most brands have low to intermediate levels of strontium isotope ratios (Frei and Frei 2011; Ria et al. 2004). Moreover, materials buried below 30 cm seem to avoid most contaminants (Bacon et al. 1996; Budd et al. 2000; Frei et al. 2019; Rasmussen et al. 2019).

It should also be noted that tooth enamel is unusually resistant to diagenesis and normally does not take on strontium from ground water after burial (Budd et al. 2000). It is also the case that we have measured archaeological fauna from throughout Denmark and obtained consistent results in the range of 0.709-0.711 (Figure 3A), with a few exceptions discussed below.

High Strontium Values in the Landscape

What is most important from the Thomsen and Andreasen study is the fact that there exist areas with higher strontium isotope values in the landscape that neither the broad sweep of surface water sampling (Frei and Frei 2011) nor the analysis of owl pellets and other faunal remains (Frei and Price 2012) identified. That low visibility suggests that these “hot spots” may be limited in number and small in size, at least outside of western Jutland. There are a few confounding cases of higher values elsewhere in southern Scandinavia as well as some higher strontium spots in the landscape of northern Germany. They are present and need to be identified. I will discuss two examples of such “hotspots” before examining their cause.

One example comes from the Iron Age site of Alken Enge where the human remains of battle victims were placed in lake and bog deposits (Holst et al. 2018; Løvschal and Holst 2018), not far





Figure 1. Scatterplot of radiocarbon age vs. $^{87}\text{Sr}/^{86}\text{Sr}$ value for humans (blue circles) and fauna (red circles) at Alken Enge. Animals with high strontium isotope values can be seen above and below the horizon with the human remains on the right side of the graph.

from the famous war weapons sacrifices at Illerup, roughly 20 km southwest of the modern city of Aarhus. This study was done in collaboration with Mads Holst and the Alken project, funded by the Carlsberg Foundation. We measured strontium isotope ratios on a number of human and animal remains in the bog deposits at Alken Enge. Radio-carbon dates on these samples allow us to see that animals in the younger deposits, which were presumably local, have high $^{87}\text{Sr}/^{86}\text{Sr}$ values between 0.7117 and 0.7125 (Figure 1). An older sheep or

goat has a value greater than 0.713. The human values (blue dots) range from 0.7085 to 0.7127. All of the values greater than 0.712 are higher than expected from the baseline information for Denmark. Given the high values for what should be local animals, it appears that there is a “hotspot”—a higher strontium source at or near Alken Enge. A second example comes from a region of Denmark known as Djursland and the CONTACT project funded by the VELUX Foundation (Klassen 2020), concerned with the movement of ani-



• Baseline sample location

Inverse Distance Weighting (IDW)

0.7065 - 0.707
0.707 - 0.7075
0.7075 - 0.708
0.708 - 0.7085
0.7085 - 0.709
0.709 - 0.7095
0.7095 - 0.71
0.71 - 0.7105
0.7105 - 0.711
0.711 - 0.7114





Figure 2. (A) sample locations and $^{87}\text{Sr}/^{86}\text{Sr}$ contours on Djursland. Coastline reconstructed for the time of occupation of the Kainsbakke site (early 3rd millennium BC) by Klassen (2014). Sample site numbers refer to Table 3. Graphics: Casper Skaaning Andersen, MOMU, with additions, (B) Subsurface bedrock on Djursland. Blue is limestone, green is calcareous clays, Structural map of the Top Chalk Group on Djursland (GEUS; Ter-Borch 1991). (C) Thickness of glaciogenic sediments on Djursland (GEUS; Schack Pedersen/Strand Petersen 1997).




Figure 3. Ranked distribution of $^{87}\text{Sr}/^{86}\text{Sr}$ values for (A) 182 baseline values primarily from fauna, and (B) 299 values from human tooth enamel from Denmark, all time periods.

mals (associated with people) from western Sweden to eastern Jutland, Denmark, as a part of the Pitted Ware Culture (Klassen et al. 2020; Price et al. 2021). Baseline strontium isotope values were measured in modern mice and voles collected across the peninsula of Djursland. Klassen et al. (2020) note that these values corresponded well with the depth of glacial deposits on top of limestone and chalk in the subsurface deposits, i.e., $^{87}\text{Sr}/^{86}\text{Sr}$ values were higher in areas with thicker glacial deposits and deeper calcareous bedrock (Figure 2).

Frei and Frei (2011) noted that the variation in $^{87}\text{Sr}/^{86}\text{Sr}$ across Denmark could be explained by the variable mixing of the two major sources of Sr. These are (a) Sr derived from pre-Quaternary carbonaceous sediments ($^{87}\text{Sr}/^{86}\text{Sr} = 0.7078\text{--}0.7082$) and (b) Sr derived from a radiogenic component in Pleistocene glaciogenic soils with Precambrian granitoid components ($^{87}\text{Sr}/^{86}\text{Sr} > 0.712$). Apparently, Thomsen et al. (2021) have also discovered this mixing of different sources of strontium iso-

topes. This seems to be exactly the case in Djursland and is likely the situation throughout most of Denmark. The moral of this story is that surface water and large-scale mapping of $^{87}\text{Sr}/^{86}\text{Sr}$ is unlikely to identify such “hotspots”. National baseline reference maps (isoscapes) can provide some sense of regional variation, but it is necessary to develop detailed local baseline maps for every study. There is good reason to suspect that these “hot-spots” are generally small and do not have a major impact on human $^{87}\text{Sr}/^{86}\text{Sr}$ values in southern Scandinavia. Figure 3 shows the ranked distribution of $^{87}\text{Sr}/^{86}\text{Sr}$ values for (A) 182 baseline values primarily from fauna, and (B) 457 values from human tooth enamel from Denmark. In both cases the values fall predominantly between 0.708 and 0.712, the range of baseline values predicted for Denmark by surface water (Frei and Frei 2011) and fauna (Frei and Price 2012). The question is whether these areas of higher values within Denmark are large enough to contribute sufficiently higher $^{87}\text{Sr}/^{86}\text{Sr}$ to raise enamel values. Based on

the fact that most of the measured human samples from Denmark fall within the estimated baseline and the fact that higher values are usually distinctly uncommon, the effect of strontium hotspots in Denmark appears to be negligible. It is essential to remember that humans average their intake of strontium isotopes over a period of months or years in building bone and teeth. Thus, if these “hotspots” are small, their contribution to the average ratio measured in enamel will also be small.

Conclusions

My remarks are not intended to answer questions of the origin and mobility of the Egtved Girl. There are several issues in that study that complicate a direct answer (von Holstein et al. 2015; Kootker et al. 2020; Toxvaerd 2020). I would reiterate that most of the information derived from mobility studies is quite informative and useful. I think it is important to note that strontium mobility studies generally work well to identify non-local individuals, but determining place of origin is a much more complicated and difficult undertaking. It is essential to be cautious in the interpretation of such data because it is easy to be mistaken. The existence of multiple areas with the same strontium isotope signature is a strong reason for not attempting to determine place of origin. The complex variation in strontium isotope baseline values in some areas is another reason to be cautious.

Isotopic proveniencing is a relatively new method in archaeology and as such is still under development. There are problems, often associated with

establishing ancient baselines for various isotopes. Analysis for isotopic proveniencing is expensive. The method only works for first generation immigrants. It is also the case that determining the place of origin for non-local individuals is rarely possible. At the same time it is obvious that isotopic proveniencing has become an important tool for bioarchaeology. The ability to identify non-local burials or the movement of ancient animals or plants has revolutionized our understanding of the past and contributed to an understanding that movement was common in the past. Mobility and migration have always characterized the human condition.

Conflict of Interest

I have no conflict of interest associated with this essay.

Acknowledgements

I would like to thank Anne Birgitte Gebauer for both inspiring this essay and for her comments. Collaborative efforts with Lutz Klassen, Robert Frei, and Mads Holst were essential in developing my understanding of strontium “hotspots” in the landscape. I would also like to thank Kristian Kristiansen for his helpful comments on the text. I would thank reviewers of this essay for their comments that were helpful. Thanks also to Lasse Sørensen and Katrin Atzbach of the Danish Journal of Archaeology for their help with the manuscript.

References

- Andreasen, R., and E. Thomsen. 2021. Strontium is released rapidly from agricultural lime – Implications for provenance and migration studies. *Frontiers in Ecology and Evolution* 8, 588422. <https://doi.org/10.3389/fevo.2020.588422>
- Arcini, Caroline, T. Douglas Price, Maria Cinthio, Leena Drenzel, Mats Andersson, Bodil Persson, Hanna Menander, Maria Vretemark, Anna Kjellström, Rickard Hedvall, and Göran Tagesson. 2015. Living conditions in times of plague. In: Per Lagerås, ed. *Environment, Society and the Black Death: An interdisciplinary approach to the late-medieval crisis in Sweden*, 104-140. Oxford: Oxbow Books. <https://doi.org/10.2307/j.ctvh1dr32.9>

- Bäckström, Ylva, and T. Douglas Price. 2016. Social identity and mobility at an early pre-industrial mining complex, Sweden. *Journal of Archaeological Science* 66, 154-168.
- <https://doi.org/10.1016/j.jas.2016.01.004>
- Bacon, J.R., K.C. Jones, S.P. McGrath, and A.E. Johnston 1996. Isotopic character of lead deposited from the atmosphere at a grassland site in the United Kingdom since 1860. *Environmental Science and Technology* 30, 2511-2518. <https://doi.org/10.1021/es950839s>
- Bentley, R. Alexander, T. Douglas Price, and Elisabeth Stephan. 2004. Determining the ‘local’ $^{87}\text{Sr}/^{86}\text{Sr}$ range for archaeological skeletons: A case study from Neolithic Europe. *Journal of Archaeological Science* 31, 365-375. <https://doi.org/10.1016/j.jas.2003.09.003>
- Bergerbrant, Sophie, Kristian Kristiansen, Morten E. Allentoft, Karin M. Frei, T. Douglas Price, Karl-Göran Sjögren, and Anna Tornberg. 2017. Identifying commoners in the Early Bronze Age: burials outside barrows. In: Sophie Bergerbrant and Anna Wessman, eds. *New Perspectives on the Bronze Age Proceedings of the 13th Nordic Bronze Age Symposium held in Gothenburg 9th to 13th June 2015*, 37-64. Oxford: Archaeopress. <https://doi.org/10.2307/j.ctv1pzk2c1.8>
- Blank, Malou, Karl-Göran Sjögren, Corina Knipper, Karin M. Frei, and Jan Storå. 2018. Isotope values of the bioavailable strontium in inland southwestern Sweden – A baseline for mobility studies. *PLoS ONE* 13(10): e0204649. <https://doi.org/10.1371/journal.pone.0204649>
- Bryant et al. 1958. Strontium in diet. *British Medical Journal* 1, 1371-1375.
<https://doi.org/10.1136/bmj.1.5084.1371>
- Budd, P., J. Montgomery, B. Barreiro, and R.G. Thomas. 2000. Differential diagenesis of strontium in archaeological human dental tissues. *Applied Geochemistry* 15, 687-694.
[https://doi.org/10.1016/S0883-2927\(99\)00069-4](https://doi.org/10.1016/S0883-2927(99)00069-4)
- Comar, C.L., R.S. Russell, and R.H. Wasserman. 1957. Strontium-calcium movement from soil to man. *Science* 126, 485-92. <https://doi.org/10.1126/science.126.3272.485>
- Dobat, Andres S., T. Douglas Price, Jacob Kveiborg, Jørgen Ilkjær, and Peter Rowley-Conwy. 2014. The four horses of an Iron Age apocalypse – War-horses from the 3rd century weapon sacrifice at Illerup Aadal (Denmark). *Antiquity* 88, 191-204. <https://doi.org/10.1017/S0003598X00050304>
- Elias, R.W., Y. Hirao, and C.C. Patterson. 1982. The circumvention of the natural biopurification of calcium along nutrient pathways by atmospheric inputs of industrial lead. *Geochimica et Cosmochimica Acta Volume* 46, 2561-2580. [https://doi.org/10.1016/0016-7037\(82\)90378-7](https://doi.org/10.1016/0016-7037(82)90378-7)
- Frei, K.M., and R. Frei. 2011. The geographic distribution of strontium isotopes in Danish surface waters – a base for provenance studies in archaeology, hydrology and agriculture. *Applied Geochemistry* 26, 326-40. <https://doi.org/10.1016/j.apgeochem.2010.12.006>
- Frei, Karin Margarita, and T. Douglas Price. 2012. Strontium Isotopes and Human Mobility in Prehistoric Denmark. *Journal of Anthropological and Archaeological Sciences* 4, 103-114.
<https://doi.org/10.1007/s12520-011-0087-7>

Frei, K.M., U. Mannering, K. Kristiansen, M. Allentoft, A.S. Wilson, I. Skals, S. Tridico, M.L. Nosch, E. Willerslev, L. Clarke, and R. Frei 2015a. Tracing the dynamic life story of a Bronze Age Female. *Scientific Reports* 5, 10431. <https://doi.org/10.1038/srep10431>

Frei, Karin Margarita, Ulla Mannering, T. Douglas Price, and Ramus Birch Iversen. 2015b. Strontium isotope investigations of the Haraldskær Woman – a complex record of various tissues. *Archaeosciences, revue d'archéométrie*. 39: 93-101. <https://doi.org/10.4000/archeosciences.4407>

Frei, Karin Margarita, Chiara Villa, Marie Louise Jørkov, Morten E. Allentoft, Flemming Kaul, Per Ethelberg, Samantha S. Reiter, Andrew S. Wilson, Michelle Taube, Jesper Olsen, Niels Lynnerup, Eske Willerslev, Kristian Kristiansen, Robert Frei. 2017. A matter of months: High precision migration chronology of a Bronze Age female. *PLoS ONE* 12(6): e0178834. <https://doi.org/10.1371/journal.pone.0178834> <https://doi.org/10.1371/journal.pone.0178834>

Frei, Karin Margarita, Sophie Bergerbrant, Karl-Göran Sjögren, Marie Louise Jørkov, Niels Lynnerup, Lise Harvig, Morten E. Allentoft, Martin Sikora, T.D. Price, Robert Frei, Kristian Kristiansen. 2019. Mapping human mobility in Third and Second millennium BC Denmark. *PlosONE* 14(8): e0219850. <https://doi.org/10.1371/journal.pone.0219850>

Frei, R., K.M. Frei, and S. Jessen. 2019. Shallow retardation of the strontium isotope signal of agricultural liming – implications for isoscapes used in provenance studies. *Science of The Total Environment* <https://doi.org/10.1016/j.scitotenv.2019.135710>

Grimstead, D.N., S. Nugent, and J. Whipple, 2017. Why a Standardization of Strontium Isotope Baseline Environmental Data Is Needed and Recommendations for Methodology. *Advances in Archaeological Practice* 5(2), 184-195. <https://doi.org/10.1017/aap.2017.6>

Holst, Mads Kähler, Jan Heinemeier, Ejvind Hertz, Peter Jensen, Mette Løvschal, Lene Mollerup, Bent Vad Odgaard, Jesper Olsenc Niels Emil Søe, and Søren Munch Kristiansen. 2018. Direct evidence of a large Northern European Roman period martial event and post-battle corpse manipulation. *Proceedings of the National Academy of Science* 115(23), 5920-5925. <https://doi.org/10.1073/pnas.1721372115>

von Holstein, I.C.C., L. Font, E.E. Peacock, M.J. Collins, and G.R. Davies. 2015. An assessment of procedures to remove exogenous Sr before $^{87}\text{Sr}/^{86}\text{Sr}$ analysis of wet archaeological wool textiles. *Journal of Archaeological Science* 53, 84-93. <https://doi.org/10.1016/j.jas.2014.10.006>

Hvass, Lone. 2019. Om Egtvedpigenes rejse. *KUML* 2019: 215-221.

Kjällqvist, Mathilda, and T. Douglas Price. 2019. Mesolithic mobility and contact networks in South Scandinavia around 7000 cal. BC: Lithic raw materials and isotopic proveniencing of human remains from Norje Sunnansund, Sweden. *Journal of Anthropological Archaeology* 53, 186-201. <https://doi.org/10.1016/j.jaa.2018.12.007>

Klassen, L. 2014. *Along the Road. Aspects of Causewayed Enclosures in South Scandinavia and Beyond*. East Jutland Museum Publications vol. 2. Århus: Århus University Press.

Klassen, L. (ed.) 2020. *CONTACT. The Pitted Ware Culture in Djursland and Maritime Relations Across the Kattegat*. East Jutland Museum Publications 5. Århus: Århus University Press.

Klassen, L., T. Douglas Price, K.-G. Sjögren, L. Wincentz, and B. Philippsen. 2020. Strontium and lead isotope studies of faunal and human remains from Kainsbakke and Kirial Bro. In: L. Klassen, ed. *CONTACT. The Pitted Ware Culture in Djursland and Maritime Relations Across the Kattegat*. 407-446. East Jutland Museum Publications 5. Århus: Århus University Press.

Kootker, Lisette M., Isabella C.C. von Holstein, Jelle Broeders, Daniel J. Wescott, Gareth R. Davies, and Hayley L. Mickleburgh. 2020. Reprint of: The effects of decomposition and environment on antemortem H-Pb-Sr isotope compositions and degradation of human scalp hair: Actualistic taphonomic observations. *Forensic Science International* 317, 1-10.
<https://doi.org/10.1016/j.forsciint.2020.110463>

Lewis, J., A. Pike, C.D. Coath, and R.P. Evershed. 2017. Strontium concentration, radiogenic ($^{87}\text{Sr}/^{86}\text{Sr}$) and stable ($\delta^{88}\text{Sr}$) strontium isotope systematics in a controlled feeding study. *STAR: Science & Technology of Archaeological Research* 3(1), 45-57. <https://doi.org/10.1080/20548923.2017.1303124>

Løvschal, M., and M.K. Holst. 2018. Governing martial traditions: post-conflict ritual sites in Iron Age Northern Europe (200 BC-AD 200). *Journal of Anthropological Archaeology* 50, 27-39.
<https://doi.org/10.1016/j.jaa.2018.01.003>

Maurer, Anne-France, Stephen J.G. Galer, Corina Knipper, Lars Beierlein, Elizabeth V. Nunn, Daniel Peters, Thomas Tütken, Kurt W. Alt , and Bernd R. Schöne. 2012. Bioavailable $^{87}\text{Sr}/^{86}\text{Sr}$ in different environmental samples – Effects of anthropogenic contamination and implications for isoscapes in past migration studies. *Science of the Total Environment* 433, 216-229.
<https://doi.org/10.1016/j.scitotenv.2012.06.046>

Naumann, Elise, and T. Douglas Price. 2020. Isotopic investigations of the Gokstad man – Possibilities and limitations. In: Jan Bill, ed. *New Investigations of the Gokstad Burial*. Aarhus: Aarhus University Press.

Naumann, Elise, T. Douglas Price, and Michael P. Richards. 2014. Changes in dietary practices and social organization during the pivotal Late Iron Age period in Norway (AD 550-1030): Isotope analyses of Merovingian and Viking Age human remains. *American Journal of Physical Anthropology* 155, 322-331. <https://doi.org/10.1002/ajpa.22551>

Price, T. Douglas. 2008. Bone Chemistry and Human Migration: Sr Isotope Analysis. In: N. Lynnerup, P. Bennike, and E. Iregren, eds. *Nordisk Lærebog i Biologisk Antropologi og Human Osteologi*, 276-278. Copenhagen: Glyndental.

Price, T. Douglas, 2013. Human Mobility at Uppåkra: A Preliminary Report on Isotopic Proveniencing. In: B. Hårdh and L. Larsson, eds. *Studies at Uppåkra, An Iron Age City in Scania, Sweden*, 157-169. Lund: Institute of Archaeology.

Price, T.D., J.H. Burton, and R.A. Bentley. 2002. The Characterization of Biologically Available Strontium Isotope Ratios for the Study of Prehistoric Migration. *Archaeometry* 44(1), 117-135.
<https://doi.org/10.1111/1475-4754.00047>

Price, T. Douglas, and Hildur Gestsdóttir. 2006. The First Settlers of Iceland: An Isotopic Approach to Colonization. *Antiquity* 80, 130-144. <https://doi.org/10.1017/S0003598X00093315>

Price, T. Douglas, and Hildur Gestsdóttir. 2018. The Peopling of the North Atlantic: Isotopic Results from Iceland. *Journal of the North Atlantic. Special Volume 7*, 145-162.

Price, T. Douglas, Stanley H. Ambrose, Pia Bennike, Jan Heinemeier, Nanna Noe-Nygaard, Erik Brinch Petersen, Peter Vang Petersen, and Michael P. Richards. 2007. The Stone Age graves at Dragsholm: New dates and other data. *Acta Archaeologica* 78(2), 193-219.
<https://doi.org/10.1111/j.1600-0390.2007.00106.x>

Price, T. Douglas, Karin Margarita Frei, Hildur Gestsdottir, and Vera Tiesler. 2010. Isotopes and mobility: Case studies with large samples. *Mitteilungen der Berliner Gesellschaft für Anthropologie, Ethnologie und Urgeschichte* 31, 203-212.

Price, T. Douglas, Karin Margarita Frei, Andres Dobat, Niels Lynnerup, and Pia Bennike. 2011. Who was in Harold Bluetooth's army? Strontium isotope investigation of the cemetery at the Viking Age fortress at Trelleborg, Denmark. *Antiquity* 85, 476-489. <https://doi.org/10.1017/S0003598X00067880>

Price, T. Douglas, Jens N. Nielsen, Karin Margarita Frei, and Niels Lynnerup. 2012. Sebbersund: isotopes and mobility in an 11th-12th c. AD Danish churchyard. *Journal of Archaeological Science* 39, 3714-3720. <https://doi.org/10.1016/j.jas.2012.06.015>

Price, T. Douglas, Magdalena Naum, Pia Bennike, Niels Lynnerup, Karin Margarita Frei, Hanne Wagnkilde, and Finn Ole Nielsen. 2013. Investigation of Human Provenience at the Early Medieval Cemetery of Ndr. Grødbygård, Bornholm, Denmark. *Danish Journal of Archaeology* 1, 93-112.
<https://doi.org/10.1080/21662282.2013.798903>

Price, T. Douglas, Kirsten Prangsgaard, Marie Kanstrup, Pia Bennike, and Karin Margarita Frei. 2014. Galgedil. Isotopic studies of a Viking cemetery on the island of Funen, Denmark, AD 700-1100. *Danish Journal of Archaeology* 3,129-144. <https://doi.org/10.1080/21662282.2015.1056634>

Price, T. Douglas, Karin M. Frei, and Elise Naumann. 2015. Isotopic Baselines in the North Atlantic Region. *Journal of the North Atlantic. Special Volume 7*, 103-136.
<https://doi.org/10.3721/037.002.sp707>

Price, T. Douglas, Jüri Peets, Raili Allmäe, Liina Maldre, and Ester Oras. 2016. Isotopic proveniencing of the Salme ship burials in Pre-Viking Age Estonia. *Antiquity* 90, 1022-1037.
<https://doi.org/10.15184/aqy.2016.106>

Price, T. Douglas, Robert Frei, Ylva Bäckström, Karin M. Frei, and Anne Ingwarsen-Sundstrom. 2017. Origins of inhabitants from the 16th century Sala (Sweden) silver mine cemetery – a lead isotope perspective. *Journal of Archaeological Science* 80, 1-13. <https://doi.org/10.1016/j.jas.2017.01.013>

Price, T. Douglas, David Meiggs, Mara-Julia Weber, and Anne Pike-Tay. 2017. The Migration of Late Pleistocene Reindeer: Isotopic Evidence from Northern Europe. *Archaeological and Anthropological Sciences* 9, 371-394. <https://doi.org/10.1007/s12520-015-0290-z>

Price, T. Douglas, Caroline Arcini, Leena Drenzel, Sven Kalmring, and Ingrid Gustin. 2018. Isotopes and Human Burials at Viking Age Birka and the Mälaren Region, East Central Sweden. *Journal of Anthropological Archaeology* 49, 19-38. <https://doi.org/10.1016/j.jaa.2017.10.002>

- Price T. Douglas, Lutz Klassen, and Karl-Göran Sjögren. 2021. Pitted ware culture: Isotopic evidence for contact between Sweden and Denmark across the Kattegat in the Middle Neolithic, ca. 3000 BC. *Journal of Anthropological Archaeology* 61, 101254. <https://doi.org/10.1016/j.jaa.2020.101254>
- Rasmussen, K.L., G. Milner, L. Skytte, N. Lynnerup, J.L Thomsen, and J.L. Boldsen. 2019. Mapping diagenesis in archaeological human bones. *Heritage Science* 7, 1-24. [41]. <https://doi.org/10.1186/s40494-019-0285-7>.
- Ria, Laura Vitoå, Neus Otero, Albert Soler, and Angels Canals. 2004. Fertilizer chacterization: Isotopeic data (N, S, O, C. and Sr). *Environmental Science and Technology* 38, 3254-3265. <https://doi.org/10.1021/es0348187>
- Schack Pedersen, S.A., and K. Strand Petersen. 1997. *Djurslands Geologi*. København: GEUS.
- Sillen, A., G. Hall, S. Richardson, and R. Armstrong. 1998. $^{87}\text{Sr}/^{86}\text{Sr}$ ratios in modern and fossil food-webs of the Sterkfontein Valley: Implications for early hominid habitat preference. *Geochimica et Cosmochimica Acta* 62, 2463-2478. [https://doi.org/10.1016/S0016-7037\(98\)00182-3](https://doi.org/10.1016/S0016-7037(98)00182-3)
- Sjögren, Karl-Göran, and T. Douglas Price. 2006. Mobilitet under neolitikum. Undersökningar av strontiumisotoper i människoben från Västsverige. In: H. Glørstad, B. Skar, and D. Skre, eds. *Historien i forhistorien. Festskrift til Einar Østmo på 60-årsdagen*, 95-104. Kulturhistorisk museum Skrifter nr 4. Oslo: Universitetet i Oslo.
- Sjögren, Karl-Göran, T. Douglas Price, and Torbjörn Ahlström. 2008. Megaliths and mobility in south-western Sweden. Investigating relations between a local society and its neighbours using strontium isotopes. *Journal of Anthropological Archaeology* 28, 85-101. <https://doi.org/10.1016/j.jaa.2008.10.001>
- Sjögren, Karl-Göran, and T. Douglas Price. 2013a. A complex Neolithic economy. Isotope evidence for the circulation of cattle and sheep in the TRB of western Sweden. *Journal of Archaeological Science* 40, 690-704. <https://doi.org/10.1016/j.jas.2012.08.001>
- Sjögren, Karl-Göran, and T. Douglas Price. 2013b. Vegetarians or meat eaters? Isotope studies of Neolithic diet at the Frälsegården passage tomb. In: S. Bergerbrant and S. Sabatini, eds. *Counterpoint: Essays in Archaeology and Heritage Studies in Honour of Professor Kristian Kristiansen*, 43-52. Oxford: British Archaeological Reports.
- Sjögren, Karl-Göran, T. Douglas Price, and Kristian Kristiansen. 2016. Diet and Mobility in the Corded Ware of Central Europe. *PLoS ONE* 11(5): e0155083, 1-33. <https://doi.org/10.1371/journal.pone.0155083>
- Ter-Borch, N. 1991. *Kalkoverfladens struktur: Danmark (Structural map of Top Chalk Group)*. København: GEUS.
- Thomsen, E., and R. Andreasen. 2019. Agricultural lime disturbs natural strontium isotope variations: Implications for provenance and migration studies. *Science Advances* 5: eaav8083. <https://doi.org/10.1126/sciadv.aav8083>

Thomsen, E., R. Andreasen and T.L. Rasmussen. 2021. Homogeneous Glacial Landscapes Can Have High Local Variability of Strontium Isotope Signatures: Implications for Prehistoric Migration Studies. *Frontiers in Ecology and Evolution* 8, 588318. <https://doi.org/10.3389/fevo.2020.588318>

Toxvaerd, Søren. 2020. The strontium isotope ratio $^{87}\text{Sr}/^{86}\text{Sr}$ in archaeological organic matter conserved in acidic anaerobic environments is hard to interpret. *Journal of Archaeological Science: Reports* 31, 102379. <https://doi.org/10.1016/j.jasrep.2020.102379>

Wilhelmsen, Helene, and T. Douglas Price. 2017. Mobility and social integration in Iron Age Scandinavia, a case from Öland, Sweden. *Journal of Archaeological Science Reports* 12, 183-196. <https://doi.org/10.1016/j.jasrep.2017.01.031>